Printing date 28.11.2024

Version number 1.0

Revision: 28.11.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Sofin Well Being Feel Joyfull concentrated fabric softener
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against ·
- *Application of the substance / the mixture: Detergents*
- Textile softener
- Uses advised against: No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dr. Miele Cosmed Group S.A. ul. Wielkopolska 3, 26-600 Radom, Poland tel. +48 48 384 58 01 www.dr-miele.eu www.sofin.pl info@dr-miele.eu

· 1.4 Emergency telephone number: +48 48 384 58 01 (Mo. to Fr. 8:00 - 17:00) or 112

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
  - The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

- Description: Mixture: consisting of the following components.
- · Dangerous components: Void
- · Regulation (EC) No 648/2004 on detergents / Labelling for contents

cationic surfactants

perfumes (HEXYL CINNAMAL, AMYL CINNAMAL, VANILLIN, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES), enzymes, preservation agents (SODIUM BENZOATE), LACTIC ACID

• *Additional information:* For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- General information: No special measures required.
- *After inhalation: Supply fresh air; consult doctor in case of complaints.*
- After skin contact: Rinse with warm water.
- · After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 2)

≥5 - <15%

Printing date 28.11.2024

Version number 1.0

Revision: 28.11.2024

(Contd. of page 1)

Trade name: Sofin Well Being – Feel Joyfull concentrated fabric softener

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents: Water spray

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

• *Protective equipment:* No special measures required.

#### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Avoid skin and eye contact.
Slipping hazard due to leaking product.
6.2 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- $\cdot$  6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special measures required. Keep away from frost and heat.

• Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store and transport uprightly.

• Storage class: 12

• 7.3 Specific end use(s)

The product is an aid for cleaning household textiles. Observe warnings and instructions on the packaging.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

EU

EU

# Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 28.11.2024

Version number 1.0

Revision: 28.11.2024

## Trade name: Sofin Well Being – Feel Joyfull concentrated fabric softener

DNELs			
	OPROPYL ALCOH	OI (propan_2_ol)	
Oral	DNEL - long-term, o		26 mg/kg (consumer)
Dermal	ē	ermal, systemic effect	
Dermai	Diffee tong torni, u	erman, systemie ejjeet	319 mg/kg (consumer)
Inhalative DNEL - long-term, inhaled, systemic effec		nhaled_systemic_effect	
		inarea, systemic ejjeer	$89 \text{ mg/m}^3 (consumer)$
PNECs			
67-63-0 IS	OPROPYL ALCOH	OL (propan-2-ol)	
PNEC wat	er (fresh water)	140,900 μg/l	
PNEC wat	er (marine water)	140,900 μg/l	
PNEC wat	er (intermittent)	140,900 μg/l	
PNEC sed	iment (fresh water)	552 mg/kg	
PNEC sed	iment (marine water)	552 mg/kg	
PNEC (soi		28 mg/kg	
,	vage plant)	2,251 mg/l	
,	8 I /	-	king were used as basis.
Recommen	sing tests, it is not po ded is therefore:	ssible to give exact info	<i>tective equipment</i> formation about the glove material for the product.
Due to mis Recomment Only use of Material of Recomment special ni suitability gloves mus The selection and varies resistance application Penetration Penetration practice. Eye/face por General put The usual Environmet	ection sing tests, it is not po- ded is therefore: hemical-protective gl f gloves aded for contact with trile (material thick (e.g. mechanical and to replaced immedi on of the suitable glo from manufacturer of the glove material n. <b>n time of glove mater</b> on time > 480 minut <b>rotection</b> Goggles rea <b>rotective and hygieni</b> precautionary measure <b>ental exposure contro</b>	ssible to give exact info oves with CE-labelling the product are protec ness > 0.1 mm). Protec d thermal resistance, ately. ves does not only depe to manufacturer. As t can not be calculated <b>rial</b> es recommended. Nan commended during refe c measures: res are to be adhered t <b>bls</b>	formation about the glove material for the product. To of category III. Setive gloves of chemical protection category III made ective gloves should be tested for workplace specif antistatic, etc.). For first signs of wear, the protective end on the material, but also on further marks of quali he product is a preparation of several substances, the in advance and has therefore to be checked prior to the med penetration times can be significantly shorter to
Due to mis Recomment Only use of Material of Recomment special ni suitability gloves mus The selectra and varies resistance application Penetration Pe	ection sing tests, it is not po- ded is therefore: hemical-protective gl f gloves ided for contact with trile (material thickn (e.g. mechanical and to replaced immedi fon of the suitable glo from manufacturer of the glove material n time of glove material n time of glove material n time of glove material n time of glove material n time > 480 minut precautionary measure to the glove and hygienic precautionary measure of the glove material n time of glove material time of glove	ssible to give exact info oves with CE-labelling the product are protec- ness > 0.1 mm). Protec- d thermal resistance, ately. ves does not only depe- to manufacturer. As t can not be calculated <b>rial</b> es recommended. Nan commended during refe- c measures: res are to be adhered t ols ct or large quantities ct or large quantities	formation about the glove material for the product. To of category III. Setive gloves of chemical protection category III made ective gloves should be tested for workplace specif antistatic, etc.). For first signs of wear, the protective end on the material, but also on further marks of quali he product is a preparation of several substances, the in advance and has therefore to be checked prior to the med penetration times can be significantly shorter to filling o when handling chemicals. of it to reach ground water, water course or sewage ites erties
Due to mis Recommen Only use c Material of Recommen special ni suitability gloves mus The selectu and varies resistance application Penetratio Penetratio Penetratio practice. Eye/face p General pu The usual Environm Do not all system. SECTIO 9.1 Inform General In	ection sing tests, it is not po- ded is therefore: hemical-protective gl f gloves ided for contact with trile (material thickn (e.g. mechanical and to replaced immedi fon of the suitable glo from manufacturer of the glove material n time of glove material n time of glove material n time of glove material n time of glove material n time > 480 minut precautionary measure to the glove and hygienic precautionary measure of the glove material n time of glove material time of glove	ssible to give exact info oves with CE-labelling the product are protec- ness > 0.1 mm). Protec- d thermal resistance, ately. ves does not only depe- to manufacturer. As t can not be calculated <b>rial</b> es recommended. Nan commended during refe- c measures: res are to be adhered t ols ct or large quantities d chemical propert cal and chemical prop	formation about the glove material for the product. To of category III. Setive gloves of chemical protection category III made ective gloves should be tested for workplace specif antistatic, etc.). For first signs of wear, the protective end on the material, but also on further marks of quali he product is a preparation of several substances, the in advance and has therefore to be checked prior to the med penetration times can be significantly shorter to filling o when handling chemicals. of it to reach ground water, water course or sewage fies erties

Printing date 28.11.2024

Version number 1.0

Revision: 28.11.2024

## Trade name: Sofin Well Being – Feel Joyfull concentrated fabric softener

	(Contd. of page
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	100 °C (7732-18-5 water)
Flammability	Not flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>75 °C
	DIN EN ISO 13736:2022-12
Auto-ignition temperature:	190 °C (100-52-7 benzaldehyde)
Decomposition temperature:	Not determined.
pH at 20 °C	2.5-4.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Dispersible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.995-1.005 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard
Explosive properties: Solvent content:	Product does not present an explosion hazard.
Solvent content:	Product does not present an explosion hazard.
	· ·
Solvent content: Organic solvents: Water:	0.7 %
Solvent content: Organic solvents: Water: Solids content:	0.7 % 92.7 %
Solvent content: Organic solvents: Water: Solids content: Change in condition	0.7 % 92.7 %
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate	0.7 % 92.7 % 5.8 % Not determined.
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard classo	0.7 % 92.7 % 5.8 % Not determined.
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives	0.7 % 92.7 % 5.8 % Not determined. es Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases	0.7 % 92.7 % 5.8 % Not determined. es Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures Substances and mixtures Substances and mixtures Oxidising liquids Oxidising solids	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void
Solvent content: Organic solvents: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard class Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	0.7 % 92.7 % 5.8 % Not determined. es Void Void Void Void Void Void Void Void

EU

Printing date 28.11.2024

Version number 1.0

Revision: 28.11.2024

(Contd. of page 4)

EU

Trade name: Sofin Well Being – Feel Joyfull concentrated fabric softener

· Desensitised explosives

Void

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability Product is stable.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid Keep away from frost and heat.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 67-63-0 ISOPROPYL ALCOHOL (propan-2-ol)

OralLD505,045 mg/kg (rat)DermalLD5012,800 mg/kg (rabbit)

Inhalative LC50/4 h 72.6 mg/l (rat)

#### 79-33-4 LACTIC ACID (L-(+)-lactic acid)

*Oral LD50 3,543 mg/kg (rat)* 

Dermal LD50 > 2,000 mg/kg (rabbit)

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

Aquatic toxicity:		
79-33-4 LACTIC ACID (L	-(+)-lactic acid)	
Toxicity (fish): LC50	130 mg/l, 96 h (Oncorhynchus mykiss)	
	320 mg/l, 96 h (Danio rerio)	
Toxicity (Daphnia): EC50	130-250 mg/l, 48 h (Daphnia magna)	
Toxicity (Algea): EC50	>2,800-3,500 mg/l, 72 h (Pseudokirchneriella subcapitata)	

Printing date 28.11.2024

# Version number 1.0

Revision: 28.11.2024

# Trade name: Sofin Well Being – Feel Joyfull concentrated fabric softener

(Contd. of page 5)

- 12.2 Persistence and degradability
- No information for the product available. The contained surfactants are readily biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- $\cdot$  Additional ecological information:
- General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal** considerations

## · 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

*Empty the container thoroughly.* 

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- Waste disposal key: 15 01 02 20 01 30
- · Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

- Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

# **SECTION** 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
		(Contd. on page 7

Printing date 28.11.2024

Version number 1.0

Revision: 28.11.2024

Trade name: Sofin Well Being – Feel Joyfull concentrated fabric softener

(Contd. of page 6)

· UN "Model Regulation":

Void

#### **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008

*The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.* 

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- **Regulations:** Regulation (EC) No: 1907/2006, 1272/2008, 648/2004 (all as amended).
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information given in the Material Safety Data Sheet only apply to the described product in connection with its appropriate utilization. These particulars are based on our present knowledge. In particular, the information derve the purpose of descibing our product under the aspect of hazards caused by such product and pertaining safety actions. The information does not constitute any guarantee of product quality and/or quality features.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints

When manufacturing and distributing the product: information and instruction in handling, safety and hygiene.

When transporting the product: information and instruction in ADR.

Classification according to Regulation (EC) No 1272/2008 Calculation method

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

• Department issuing SDS:

Regulatory Affairs

FS • **Contact:** 

reg@dr-miele.eu info@dr-miele.eu

• Abbreviations and acronyms:

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure MARPOL: International Convention for the Prevention of Marine Pollution from Ships (marine pollution) IBC: Intermediate Bulk Container IMO: International Maritime Organisation

ECHA: European Chemicals Agency

(Contd. on page 8)

<sup>-</sup> EU

Printing date 28.11.2024

Version number 1.0

Revision: 28.11.2024

## Trade name: Sofin Well Being – Feel Joyfull concentrated fabric softener

(Contd. of page 7)
IVIS: In Vitro Irritancy Score
CLP regulation: "Classification, Labelling and Packaging" regulation, regulation (EC) Nr. 1272/2008
REACH (regulation): "Registration, Evaluation, Authorisation and Restriction of Chemicals" regulation, regulation (EC) Nr.
1907/2006
CE: Conformité Européenne (European Conformity)
Reg. no.: Registration number
log Kow / log Pow: decadic logarithm of the octanol/water partition coefficient
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
EC50: Effective concentration, 50 percent
WEL: Workplace Exposure Limits
NOAEL (NOAEC): No observed adverse effect level (concentration)
NOEL (NOEC): No observed effect level (concentration)
NLP: No-Longer-Polymer
OECD: Organisation for Economic Co-operation and Development
TG: Test Guideline
BCOP: Bovine Corneal Opacity and Permeability
• * Data compared to the previous version altered.