

Page 1/10

### Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025 Version number 5.0 (replaces version 4.0) Revision: 06.02.2025

**SECTION 1:** Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Sofin Complete Care Fabric Freshener, Summer Day

- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against  $\cdot$
- Application of the substance / the mixture:
- *Cleaning material/ Detergent Textile auxiliary*
- · Uses advised against: No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet

### • Manufacturer/Supplier: Dr. Miele Cosmed Group S.A. ul. Wielkopolska 3, 26-600 Radom, Poland tel. +48 48 384 58 01 www.sofin.pl sofin@dr-miele.eu

• 1.4 Emergency telephone number: +48 48 384 58 01 (Mo. to Fr. 8:00 - 17:00) or 112

### **SECTION 2: Hazards identification**

### · 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- Determination of endocrine-disrupting properties Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture: consisting of the following components.

• Dangerous components:			
CAS: 64-17-5	ALCOHOL DENAT. (ethanol)	≥5-	-<15%
EINECS: 200-578-6	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: $C \ge 50 \%$		
	Specific concentration limit: Eye Irrit. 2; H319: $C \ge 50 \%$		
Reg.nr.: 01-2119457610-43			
· Regulation (EC) No 648/200	4 on detergents / Labelling for contents		
non-ionic surfactants			<5%
perfumes			
		(Contd. o	n page 2)



Page 2/10

### Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025 Version number 5.0 (replaces version 4.0)

Revision: 06.02.2025

Trade name: Sofin Complete Care Fabric Freshener, Summer Day

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Rinse with warm water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid skin and eye contact. Slipping hazard due to leaking product.
  6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special measures required.

- Keep away from frost and heat.
- Information about fire and explosion protection: No special measures required.

(Contd. on page 3)



Page 3/10

## Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025 Version number 5.0 (replaces version 4.0) R

Revision: 06.02.2025

Trade name: Sofin Complete Care Fabric Freshener, Summer Day

(Contd. of page 2)

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:

• *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle.

• Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Store and transport uprightly.
- Storage class: 12
- 7.3 Specific end use(s)

The product is an aid for cleaning household textiles. Observe warnings and instructions on the packaging.

### **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

*PNEC sediment (fresh water)* 

PNEC (soil)

PNEC (sewage plant)

PNEC sediment (marine water) 3.46 mg/kg

• Ingredients with limit values that require monitoring at the workplace:

34.6 mg/kg

33.1 mg/kg >1,000 mg/l

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

64-17-5 A	LCOHOL DENAT. (	ethanol)		
Oral	DNEL - long-term, oral, systemic effect		87 mg/kg (consumer)	
Dermal	DNEL - long-term, dermal, systemic effect		343 mg/kg (arb)	
			206 mg/kg (consumer)	
Inhalative	e DNEL - long-term, inhaled, systemic effect		950 mg/m³ (arb)	
			114 mg/m³ (consumer)	
	DNEL - short-term, i	inhaled, local effect	1,900 mg/m³ (arb)	
			950 mg/m³ (consumer)	
· PNECs				
64-17-5 A	LCOHOL DENAT. (	ethanol)		
PNEC water (fresh water) 960		960 μg/l		
PNEC water (marine water)		790 μg/l		
PNEC water (intermittent)		2,750 µg/l		
PNEC sediment (fresh water) 3.0		3.6 mg/kg		
PNEC sediment (marine water) 2.9 mg/kg		2.9 mg/kg		
PNEC (soil) 0.63		0.63 mg/kg		
PNEC (sewage plant) 580 mg/l		580 mg/l		
5949-29-1	CITRIC ACID (Citri	ic Acid Monohydrate)		
PNEC wat	er (fresh water)	440 μg/l		
PNEC water (marine water) 4		44 μg/l		

<sup>-</sup> EU



Page 4/10

### Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025 *Version number 5.0 (replaces version 4.0)* 

Revision: 06.02.2025

(Contd. of page 3)

#### Trade name: Sofin Complete Care Fabric Freshener, Summer Day

· 8.2 Exposure controls · Appropriate engineering controls *No further data; see section 7.* No further relevant information available. · Individual protection measures, such as personal protective equipment · Respiratory protection: Not required. · Hand protection Due to missing tests, it is not possible to give exact information about the glove material for the product. Recommended is therefore: Only use chemical-protective gloves with CE-labelling of category III. · Material of gloves Recommended for contact with the product are protective gloves of chemical protection category III made of special nitrile (material thickness > 0.1 mm). Protective gloves should be tested for workplace specific suitability (e.g. mechanical and thermal resistance, antistatic, etc.). For first signs of wear, the protective gloves must be replaced immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Penetration time > 480 minutes recommended. Named penetration times can be significantly shorter in practice. · Eve/face protection Goggles recommended during refilling · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. · Environmental exposure controls Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties General Information · Physical state Liquid Colourless · Colour: · Odour: Alcohol-like · Odour threshold: Not determined. • *Melting point/freezing point:* Undetermined. · Boiling point or initial boiling point and boiling range 78 °C (64-17-5 ALCOHOL DENAT. (ethanol)) · Flammability Not flammable. · Lower and upper explosion limit Not determined.

Not determined.

DIN EN ISO 13736:2022-12

 $>75 \,^{\circ}C$ 

- · Lower:
- · Upper:
- · Flash point:

(Contd. on page 5)

EU



Page 5/10

## Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025

Version number 5.0 (replaces version 4.0)

Revision: 06.02.2025

Trade name: Sofin Complete Care Fabric Freshener, Summer Day

	(Contd. of pag
Auto-ignition temperature:	425 °C (64-17-5 ALCOHOL DENAT. (ethanol))
Decomposition temperature:	Not determined.
pH at 20 °C	5.5-6.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	<20 mPas
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	~23 hPa
Density and/or relative density	
Density at 20 °C:	0.985-0.995 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
· ·	
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	8.1 %
Water:	≥90.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	S
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
	Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

EU



Page 6/10

## Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025Version number 5.0 (replaces version 4.0)Revision: 06.02.2025

Trade name: Sofin Complete Care Fabric Freshener, Summer Day

· 10.2 Chemical stability Product is stable.

(Contd. of page 5)

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid Keep away from frost and heat.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

	te Toxicity	· · ·
Oral	LD50	$\geq$ 30,864- $\leq$ 210,970 mg/kg (rat)
64-17-5 A	LCOHOL	DENAT. (ethanol)
Oral	LD50	8,300 mg/kg (mouse)
		7,060 mg/kg (rat)
Inhalative	LC50/4 h	115.9-133.8 mg/l (rat) (OECD TG 403)
106232-83	3-1 C12-15	ALKETH-7 (Alcohols, C12-15, branched and linear, ethoxylated)
Oral	LD50	300-2,000 mg/kg (rat)
5949-29-1	CITRIC A	ACID (Citric Acid Monohydrate)
Oral	LD50	5,400 mg/kg (mouse) (OECD TG 401)
		>3,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat) (OECD TG 402)
68439-50-	9 LAURE	TH-3 (Alcohols, C12-14, ethoxylated)
Oral	9 LAURE LD50 rritant effe	>2,000 mg/kg (rat)
Oral Primary in Skin corra Serious ey Respiraton Germ cell Carcinoge Based on a	LD50 rritant effect osion/irritat ye damage/ ry or skin s mutagenic enicity available d	>2,000 mg/kg (rat) ct: tion Based on available data, the classification criteria are not met. firritation Based on available data, the classification criteria are not met. rensitisation Based on available data, the classification criteria are not met. city Based on available data, the classification criteria are not met.
Oral Primary in Skin corro Serious ey Respiraton Germ cell Carcinoge Based on o 64-17-5 A	LD50 rritant effect osion/irritat ve damage/ ry or skin s mutagenic enicity available da LCOHOL	>2,000 mg/kg (rat) ct: tion Based on available data, the classification criteria are not met. firritation Based on available data, the classification criteria are not met. tensitisation Based on available data, the classification criteria are not met. city Based on available data, the classification criteria are not met. Tata, the classification criteria are not met. DENAT. (ethanol)
Oral Primary in Skin corro Serious ey Respiraton Germ cell Carcinoge Based on o 64-17-5 A NOAEL 2 Reproduct	LD50 rritant effect osion/irritat re damage/ ry or skin s mutagenic enicity available da LCOHOL 3,000 mg// tive toxicity	<ul> <li>&gt;2,000 mg/kg (rat)</li> <li>ct:</li> <li>tion Based on available data, the classification criteria are not met.</li> <li>(irritation Based on available data, the classification criteria are not met.</li> <li>censitisation Based on available data, the classification criteria are not met.</li> <li>city Based on available data, the classification criteria are not met.</li> <li>city Based on available data, the classification criteria are not met.</li> <li>city Based on criteria are not met.</li> </ul>
Oral Primary in Skin corro Serious ey Respiraton Germ cell Carcinoge Based on a 64-17-5 A NOAEL NOAEL Reproduct Based on a	LD50 rritant effect osion/irritat ve damage/ ry or skin s mutagenic enicity available d COHOL 3,000 mg/l tive toxicity available d	>2,000 mg/kg (rat) ct: tion Based on available data, the classification criteria are not met. Girritation Based on available data, the classification criteria are not met. Generation Based on available data, the classification criteria are not met. Set is a set of a set

Based on available data, the classification criteria are not met.

(Contd. on page 7)

EU



Page 7/10

## Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025 Version number 5.0 (replaces version 4.0)

Revision: 06.02.2025

Trade name: Sofin Complete Care Fabric Freshener, Summer Day

(Contd. of page 6)

64-17-5 ALCOHOL DENAT. (ethanol)

NOAEL >20 mg/l (rat (male)) (OECD TG 403)

NOAEL 1,730 mg/kg/d (rat (female))

· Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

Aquatic toxicity:	
64-17-5 ALCOHOL DENAT. (etha	nol)
Toxicity (fish): LC50	13,000 mg/l, 96 h (Oncorhynchus mykiss) (OECD TG 203)
	15,300 mg/l, 96 h (Pimephales promelas)
Toxicity (Daphnia): EC50	12,340 mg/l, 48 h (Daphnia magna)
Toxicity (Algea): EC50	275 mg/l, 72 h (Chlorella vulgaris) (OECD TG 201)
106232-83-1 С12-15 АLКЕТН-7 (А	Alcohols, C12-15, branched and linear, ethoxylated)
Toxicity (fish): LC50	>1 mg/l, 96 h
Toxicity (Daphnia): EC50	>1 mg/l, 48 h (Daphnia magna)
Toxicity chronic (Daphnia): NOEC	0.1-1 mg/l, 22 d (Daphnia magna)
Toxicity (Algea): EC50	>1 mg/l, 72 h
5949-29-1 CITRIC ACID (Citric A	cid Monohydrate)
Toxicity (fish): LC50	440-760 mg/l, 96 h (Leuciscus idus)
Toxicity (Algea): EC50	120 mg/l, 72 h (Daphnia carinata)
<b>12.2 Persistence and degradability</b> No information for the product available	lable. The contained surfactants are readily biodegradable.
64-17-5 ALCOHOL DENAT. (etha	
Readily biodegradable 97 % (OEC	,
<b>;</b> e	Alcohols, C12-15, branched and linear, ethoxylated)
<i>Readily biodegradable</i> >60 % (28	· · · · · · · · · · · · · · · · · · ·
5949-29-1 CITRIC ACID (Citric A	
Readily biodegradable 97 % (28 d)	• /
68439-50-9 LAURETH-3 (Alcohol	
Readily biodegradable >60 % (28	d) (OECD TG 301 D)
12.3 Bioaccumulative potential	
64-17-5 ALCOHOL DENAT. (etha	nnol)
Log Kow <0	

(Contd. on page 8)

<sup>-</sup> EU



Page 8/10

### Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025 Version number 5.0 (replaces version 4.0)

Revision: 06.02.2025

Trade name: Sofin Complete Care Fabric Freshener, Summer Day

(Contd. of page 7)

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

### • 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

*Empty the container thoroughly.* 

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Waste disposal key:
- 15 01 02
- 20 01 30

### • Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

- Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number	<i>V</i> -: 1	
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDĞ, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	



Page 9/10

### Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025

*Version number 5.0 (replaces version 4.0)* 

Revision: 06.02.2025

(Contd. of page 8)

Trade name: Sofin Complete Care Fabric Freshener, Summer Day

• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· UN "Model Regulation":

Void

### **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008

*The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.* 

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- **Regulations:** Regulation (EC) No: 1907/2006, 1272/2008, 648/2004 (all as amended).
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information given in the Material Safety Data Sheet only apply to the described product in connection with its appropriate utilization. These particulars are based on our present knowledge. In particular, the information derve the purpose of descibing our product under the aspect of hazards caused by such product and pertaining safety actions. The information does not constitute any guarantee of product quality and/or quality features.

*This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.* 

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Training hints

When manufacturing and distributing the product: information and instruction in handling, safety and hygiene.

When transporting the product: information and instruction in ADR.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 10)

EU



Page 10/10

# Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 06.02.2025 Version number 5.0 (replaces version 4.0)

Revision: 06.02.2025

Trade name: Sofin Complete Care Fabric Freshener, Summer Day

	(Contd. of page 9
Department issui	ng SDS:
Regulatory Affair	S S
FS	
Contact:	
reg@dr-miele.eu	
sofin@dr-miele.d	
Date of previous	version: 23.04.2024
Version number	of previous version: 4.0
Abbreviations an	
	en relatif au transport international des marchandises dangereuses par voie de navigation intérieure
$MARPOI \cdot Internation$	al Convention for the Prevention of Marine Pollution from Ships (marine pollution)
IBC: Intermediate Bu	
IMO: International M	
ECHA: European Che	
IVIS: In Vitro Irritanc	v Score
CLP regulation: "Cla	ssification, Labelling and Packaging" regulation, regulation (EC) Nr. 1272/2008
REACH (regulation)	: "Registration, Evaluation, Authorisation and Restriction of Chemicals" regulation, regulation (EC) N
1907/2006	
	péenne (European Conformity)
Reg. no.: Registration	
	ecadic logarithm of the octanol/water partition coefficient
ADR: Accord relatif	au transport international des marchandises dangereuses par route (European Agreement Concerning th
International Carriag	e of Dangerous Goods by Road)
	Maritime Code for Dangerous Goods
	ir Transport Association
GHS: Globally Harmo	onised System of Classification and Labelling of Chemicals
	wentory of Existing Commercial Chemical Substances
ELINCS: European L	ist of Notified Chemical Substances
	acts Service (division of the American Chemical Society)
DNEL: Derived No-E	
	Effect Concentration (REACH)
LC50: Lethal concent	
LD50: Lethal dose, 50	
	ccumulative and Toxic
	and very Bioaccumulative
EC50: Effective conce	
WEL: Workplace Exp	
	b observed adverse effect level (concentration)
	bserved effect level (concentration)
NLP: No-Longer-Poly	
	for Economic Co-operation and Development
TG: Test Guideline	al Operation and Download little
ELOP: BOVINE CORNE	al Opacity and Permeability ble liquids – Category 2
	ble liquids – Category 2 ye damage/eye irritation – Category 2
<sup>•</sup> Data compared	to the previous version altered.